


Self Contained Ice Machine up to 70 Kg




Look for this "icon" in order to identify the Scotsman AF units which offer the demineralised or distilled water ice production as an option.



KITLEGSEXT000
Available as optional



Electronic



Features

- Up to 70 kg (154 lbs.) of flake ice production per day
- Up to 25 kg (55 lbs.) built-in ice storage
- Electronically controlled operation, with self-diagnostic functions with external alarm lights providing operational information for early alert and fast diagnosis of operating issues
- External Components constructed from corrosion-resistant stainless steel crafted for optimal aesthetic appeal through superior fit and finish
- Ergonomically convenient, slanted & disappearing storage bin door
- Front Access for Easier Maintenance
- Front-in, front-out airflow allows for built-in installations
- CFC Free R-134a Refrigerant
- 120 mm (4 3/4") legs included, extensions available as option
- Two years manufacturer warranty

AF 80 Technologies



Model	Compressor	10°: 10°C		21°: 15°C		Storage Capacity [kg] [lbs]	Dimensions [WxDxH mm] [WxDxH inches]
		[kg]	[lbs]	[kg]	[lbs]		
AF 80 AS		70	154	64	141	25 55	[WxDxH mm] 535x626x813
AF 80 WS		73	161	64	141	25 55	[WxDxH inches] 21"x24"x32"

*Estimate number of small, medium or large size gourmet cubes. Standard legs 120 mm high included.

[v/Hz/ph] 230/50/1 R 134 a

This product qualifies for the following listings:



Flake Ice
Residual water content 25%



Ice in its most natural form, made at a temperature just below zero degrees Celsius, contains 25% residual water content, making it very moist. Its flake shape makes it extremely versatile and very simple to use effectively.

2 Years Warranty


Subject to certain limitations and exclusions

Certified ISO 9001:2000

www.scotsman-ice.it
www.scotsman-ice.com
www.scotsman-ice-on-tablet.com

Models and specifications are subject to change without notice.

Self Contained Ice Machine up to 70 Kg



AF 80 AIR COOLED

°C	°F				kg
	50°	60°	70°	90°	
10°	70	67	64	58	kg
50°	154	147	141	128	lbs
21°	67	64	61	55	kg
70°	147	141	134	121	lbs
32°	56	54	53	50	kg
90°	123	119	117	110	lbs
38°	51	49	48	45	kg
100	112	108	106	99	lbs



AF 80 WATER COOLED

°C	°F				kg
	50°	60°	70°	90°	
10°	73	71	69	65	kg
50°	161	156	152	143	lbs
21°	66	64	62	58	kg
70°	145	141	136	128	lbs
32°	60	58	56	52	kg
90°	132	128	123	114	lbs
38°	58	56	54	50	kg
100	128	123	119	110	lbs



Minimum	Maximum
10°C (50°F)	40°C (104°F)
5°C (41°F)	35°C (95°F)
-10%	+10%
1 BAR 14 psi	5 BAR 70 psi

Model	Ice Production	Power	Dimensions	Weight	Capacity	Water Consumption	Energy Consumption	Ice Production	Weight
AF 80 AS	2290 [Btu/h] / 800 [W]	330 [W]	3 x 1 [Ømm ²]	11 [kg]	10 [kWh] - 100 Kg	2.2 [l/h]	0.6 [gal/h]	50 [kg] / 110 [lbs]	58 [kg] / 128 [lbs]
AF 80 WS	2290 [Btu/h] / 800 [W]	330 [W]	3 x 1 [Ømm ²]	10.5 [kg]	10.5 [kWh] - 100 Kg	16 [l/h]	4.2 [gal/h]	50 [kg] / 110 [lbs]	58 [kg] / 128 [lbs]