


Self Contained Ice Machine up to 108 Kg




Features

- Up to 108 kg (238 lbs.) of flake ice production per day
- Up to 30 kg (66 lbs.) built-in ice storage
- Electronically controlled operation, with self-diagnostic functions with external alarm lights providing operational information for early alert and fast diagnosis of operating issues
- External Components constructed from corrosion-resistant stainless steel crafted for optimal aesthetic appeal through superior fit and finish
- Ergonomically convenient, slanted & disappearing storage bin door
- Front Access for Easier Maintenance
- Front-in, front-out airflow allows for built-in installations
- CFC Free R-404A Refrigerant
- 120 mm (4 12/16") legs included, extensions available as option
- Two years manufacturer warranty
- PWD System for remote water drain (Easy-fit installation)



SS AISI 304

Electronic



Water outlet (Progressive Water Discharge)

WATER DISCHARGE up to 15 mt away and 1.7 mt high with PWD



EF 103 Technologies



Model	Compressor	10°: 10°C		21°: 15°C		Ice Storage [kg] [lbs]	Dimensions [mm] [inches]	Voltage/Phase [v/Hz/ph]	Refrigerant
		[kg]	[lbs]	[kg]	[lbs]				
EF 103 AS		105	231,5	98	216	30 66	592x622x1006/1126	230/50/1	R 404A
EF 103 WS		108	238	98	216	30 66	235/16"x241/2"x395/8-445/16"	230/50/1	R 404A

Standard legs 120 mm high included.

Flake Ice

Residual water content 25%



Ice in its most natural form, made at a temperature just below zero degrees Celsius, contains 25% residual water content, making it very moist.

Its flake shape makes it extremely versatile and very simple to use effectively.

This product qualifies for the following listings:



2 Years Warranty


Subject to certain limitations and exclusions

Certified ISO 9001:2000

www.scotsman-ice.it
www.scotsman-ice.com
www.scotsman-ice-on-tablet.com

Models and specifications are subject to change without notice.

Self Contained Ice Machine up to 108 Kg



EF 103 AIR COOLED

°C	°F				kg
	50°	60°	70°	90°	
10°	105	101	97	89	kg
50°	231,5	222,5	214	196	lbs
21°	102	98	94	86	kg
70°	225	216	207	189,5	lbs
32°	88	84	80	72	kg
90°	194	185	176	159	lbs
38°	82	78	74	66	kg
100	181	172	163	145,5	lbs



EF 103 WATER COOLED

°C	°F				kg
	50°	60°	70°	90°	
10°	108	100	92	76	kg
50°	238	220,5	203	167,5	lbs
21°	106	98	90	74	kg
70°	233,5	216	198,5	163	lbs
32°	105	97	89	73	kg
90°	231,5	214	196	161	lbs
38°	103	95	87	71	kg
100	227	209,5	192	156,5	lbs



Minimum	Maximum
10°C (50°F)	43°C (109°F)
5°C (41°F)	35°C (95°F)
-10%	+10%
1 BAR 14 psi	5 BAR 70 psi

Model	Cooling Type	Capacity [Btu/h] [W]	Ice Size [Ømm ²]	Power [W]	FUSE	Energy [kWh] - 100 Kg	Water [l/h] [gal/h]	Weight [kg] [lbs]	Dimensions [kg] [lbs]
EF 103 AS	Air Cooled	3270 960	3 x 1.5	470	10	12,5	3,3 0,88	66 145	74 163
EF 103 WS	Water Cooled	3270 960	3 x 1.5	360	10	9,6	31,8 8,40	68 150	76 167